



आई.सी.ए.आर. – केन्द्रीय अन्तर्स्थलीय मात्स्यिकी अनुसंधान संस्थान
बैरकपुर, कोलकाता - 700 120 , पश्चिम बंगाल
ICAR -CENTRAL INLAND FISHERIES RESEARCH INSTITUTE
Barrackpore, Kolkata -700 120, West Bengal



No. Const.New Gate 514(1)/2024-Works

Dated 26th June, 2024

NOTICE INVITING TENDER

TENDER NO.2/24/BKP

The Director, ICAR-CIFRI, Barrackpore invites online Quotation through e-procurement portal (www.eprocure.gov.in) in 2 (two) Bid Systems from Registered/Govt. enlisted contractors for the following works at ICAR-CIFRI, Barrackpore:

Sr. No.	Name of the Work	Quantity
1	Construction of entrance gate at ICAR-CIFRI Campus-II, Nilganj, Barrackpore, Kolkata – 700120.	One job

Firms are requested to quote the rate in BoQ as per given specification. The scope of work (*vide* Annexure-II) to be done is only indicative and not exhaustive. Interested firms or his/her authorized representative may like to visit work site where the work is going to be executed for on-site assessment of the jobs required to be done. The tender document and specification details may be downloaded from the e-procurement portal.

No bid other than online quotation in BoQ shall be entertained.

The schedule of processing quotations is as follows:

1.	Date and time for issue/publishing	26.06.2024 ; 5:00 P.M.
2.	Document Download start date and time	26.06.2024 ; 5:00 P.M.
3.	Bid submission start date and time	26.06.2024 ; 5:00 P.M.
4.	Bid submission end date and time	18.07.2024 ; 5:30 P.M.
5.	Date and time for opening of technical bids	22.07.2024 ; 11:00 A.M.
6.	Address for communication	The Administrative Officer, ICAR-CIFRI, Barrackpore

ANNEXURE – I

TERMS AND CONDITIONS :

1. Successful bidder must complete the work within 60 (Sixty) days from the date of awarding the contract.
2. The site for the work is instantly available for initiation of the work.
3. Price must **not** be quoted in Technical bid, otherwise bid will be rejected.
4. The following documents in PDF Format are to be upload with the quotation through e-procurement portal www.eprocure.gov.in
 - I. PDF Copy of valid enlistment/licence/registration from Central/State/Municipality.
 - II. PDF copy of authenticated completion certificate (s) showing work experience (s) for doing at least one similar or same work costing not less than 8 lacs **OR** two works costing not less than 5 lacs in the last three financial years.
 - III. PDF copy of PAN Card & GST Certificate.
 - IV. Income Tax return for alongwith balance sheet certified by the Chartered Accountant in the last three financial years.
 - V. Turnover of the firm in the last three financial years.
 - VI. PDF copy of authenticated declaration as per Annexure-III in letter head of the firm.
 - VII. PDF copy of check list as per Annexure-IV.
 - VIII. Scanned copy as the Documentary proof for EMD of Rs. 15084/- (Bank transaction number or photocopy of cheque or draft).

(The PDF copies submitted as Technical Bid should be legible. If any of the above documents is not uploaded, bid will be summarily rejected)

5. Detailed specification / Scope of the work are enclosed in ANNEXURE- II.
6. Architectural design of the work is enclosed at Annexure-V
7. **Earnest Money Deposit @2% i.e. Rs.15084/- (Rupees fifteen thousand eighty four only) of the estimated cost worth of Rs.7,54,207.00 (Rupees seven lac fifty four thousand two hundred seven only) in form of Account Payee Demand Draft, Fixed Deposit Receipt, or Bank Guarantee from any of the Commercial Banks (drawn in favour of ICAR-Unit, ICAR-CIFRI, Barrackpore) must be submitted to the AAO (Works), ICAR-CIFRI, Barrackpore before the last date and time of the bid submission, failing which the Tender will be summarily rejected. EMD should be valid for a period of 45 days beyond the fixed Bid Validity period. No exemption is allowed from as per works procurement policy.**
8. The contractor, whose quotation is accepted, will be required to furnish a security deposit for the fulfilment of the contract and 3% of total bill amount will be as security deposit. The Security deposit will be released after six months from the date on which completion

certificate is given by the Officer-in-Charge, Works, ICAR-CIFRI, Barrackpore. Security Deposit will earn no interest.

9. If the contractor fails to rectify the defects within 15 (fifteen) days of receiving written instructions from ICAR-CIFRI, such works shall be done at the cost and on account of the contractor.
10. Tender once submitted will remain valid for 180 (one hundred eighty) days for acceptance.
11. Any modification in the work schedule shall be informed to the Institute and subsequent payment for such works will be made accordingly on the basis of the final measurements on that specific item on the rate quoted.
12. Canvassing in connection with the tenders is strictly prohibited and the quotations submitted by the contractors who resort to canvassing will be liable to rejection.
13. The online bid should contain two folders containing Technical Bid and Financial bid in the form of BOQ.
14. The Director, ICAR-CIFRI, Barrackpore, Kolkata- 700 120 reserves the right to accept/reject any quotation or part thereof without assignment any reason.
15. Rate quoted for the items should be inclusive of all taxes/duties/GST. No extra charges / taxes over and above the quoted rate in form will be borne by the ICAR-CIFRI. The rate will remain valid for six months from the date of offer and no change in the rate shall be considered during this period.
16. The Tenderer shall be deemed to have visited the site of work before quoting their unit rates and no claim for any EXTRA PAYMENT on account of any misunderstanding etc. will be entertained by the Institute, irrespective of the fact whether they have actually the Site or not.
17. An agreement will be entered into by the contractor with the Director, ICAR-CIFRI within 07 days of the issuance of the work order.
18. On acceptance of the tender, the name of the accredited representatives of the contractor who would be responsible for taking instruction from the AAO (Works) shall be communicated to the AAO (Works).
19. The Institute authorized representative may carry periodic instruction and supervision of the work as per directions from the competent authority.
20. Any modification in the work schedule shall be informed to the Institute and subsequent payment for such works will be made accordingly on the basis of the final measurements on that specific on the rate quoted.
21. Tax deduction at source will be made wherever applicable.
22. The quotation will be subject to any further terms and conditions as may be fixed by the Govt of India/ ICAR/Director, ICAR-CIFRI.
23. Payment will be released only against the pre-receipted bill submitted in triplicate within 30 days of completion of the works. Payment will be made through RTGS (e-payment). All payments will be made as per prevalent rules and regulations of the Government of India.
24. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tool & plants, water, electricity access, facilities for workers and all other services required for executing the work.
25. **LIQUIDITY DAMAGES :**
 - I. In all cases of delay by the supplier/agency/contractor in completion of the construction or any part forming them subject matter of this contract beyond the periods specified in purchase order/contract , other than a delay caused by force

beyond control (*Force Majeure*), the buyer shall have the right without prejudice in its other remedies under this contract, to claim liquidated damages amounting to 0.5% of the contract/tender value for each week (or part thereof) of delay until actual delivery or performance or completion of works. However, such damages shall not exceed 10% of the delivery price of the goods or services which the delivery or performance has been delayed.

- II. In the event the supplier/agency/contractor terminates the Contract or part of it, the Director, ICAR-CIFRI, Barrackpore shall have the right to procure/hire/construct upon such terms and in such manner as it deems appropriate, goods or services or works similar to those undelivered and the supplier/agency/contractor shall be liable to the Director, ICAR-CIFRI, Barrackpore for any excess cost incurred for procuring similar goods or services or works,. However, the supplier shall continue performance of the contract to the extent not terminated.

26. Resolution of disputes :

- i. All disputes, agreements or questions arising out of or in connection with this contract or relating to its construction or performance shall be settled amicably by mutual consultation. If after 90 days, the parties fail to resolve their differences by mutual discussions, the matter shall be referred by arbitration in accordance with the Arbitration and Conciliation Act 1996.
- ii. The Parties shall continue to perform their obligation under this Contract during the conciliation/arbitration proceedings. The cost of arbitration (including the fees and expenses of the arbitrators) shall be shared equally by the parties, unless the award specifies otherwise.
- iii. This article shall survive the termination of this contract.

27. Penalty clause for non execution of work : In case of failure to execution or undertake the work or completion of work by the Contractor/firm/company as per order, the performance security money deposited by the contractor will be forfeited.

26.EMD of Rs.15084/- will be submitted in the Institute A/C as per details herewith :

- a. Bank Account Name- State Bank of India
- b. Branch- Barrackpore
- c. A/C. no- 11278713220
- d. SBIN0000029

28. The Director, ICAR-Central Inland Fisheries Research Institute, Barrackpore, Kolkata-700120, West Bengal reserves the right to accept or reject any or all the tenders either in part or in full without assigning any reasons whatsoever.

Annexure-II

Sl. No.	Particulars	Qty.
1.	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.	
	In cement mortar	6.5 cum
2.	Removing mortar from bricks and cleaning bricks including stacking within a lead of 50 m (stacks of cleaned bricks shall be measured):	
	From brick work in cement mortar	2000 Nos
3.	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.	
	All kind of soil	2.5 cum
4.	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	0.5cum
5	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :	
	1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	0.2cum
6.	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing:	
	1:1½:3 (1 cement : 1½ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	2.5 cum
7.	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :	
	1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size de rived from natural sources)	6.5cum

8.	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.	
	Thermo-Mechanically Treated bars of grade Fe-500D or more.	375 kg
9.	Centering and shuttering including strutting, propping etc. and removal of form for all heights	
	Columns, Pillars, Piers, Abutments, Posts and Struts	30sqm
10.	20 mm cement plaster of mix :	
	1:6 (1 cement: 6 coarse sand)	70 sqm
11.	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :	
	Cement mortar 1:6 (1 cement : 6 coarse sand)	4 cum
12	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.	
	Cement mortar 1:4 (1 cement :4 coarse sand)	22 sqm
13	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface :	
	With water thinnable cement primer on wall surface having VOC content less than 50 grams/litre	45 sqm
14	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :	
	Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	26 sqm
15.	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade:	
	New work (Two or more coats applied @ 1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	45 sqm
16.	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	45 sqm
17.	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias	

	and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.	
	Granite stone slab colour black, Cherry/Ruby red	
	Area of slab over 0.50 sqm	31 sqm
18.	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.	
	Electric resistance or induction butt welded tubes	500 kg
19.	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer.	
	Using M.S. angels 40x40x6 mm for diagonal braces	15 sqm

Administrative Officer

(Printed on letter Head of Firm)

TO WHOM IT MAY CONCERN

We hereby certify that our firm M/S.....
.....
.....has not been black listed
by any Government or semi Government Department in India.

(Seal & Signature of the Contractor)

Annexure-IV

Checklist

Sl. No.	Details of Document	Whether Uploaded (Yes/No)
1	Name of the Agency /Firm alongwith address , Telephone number and e-mail.	
2	PDF copy of valid enlistment /licence/ registration from Central /State / Municipality.	
3	PDF copy of authenticated completion certificate(s) showing work experience(s) for doing at least one similar or same work costing on less than 8 lacs OR two works not less than 5 lacs in the last three financial years.	
4	PDF copy of PAN Card & GST Certificate.	
5	Income Tax return alongwith balance sheet certified by the Chartered Accountant in the last three financial years.	
6	Turnover of the firm in the last three financial years.	
7	PDF copy of authenticated declaration as per Annexure-III in letter head of the firm.	
8	PDF copy of check list as per Annex-IV.	
9	EMD of Rs. 15084/- (Documentary proof i.e. transaction number or photocopy of cheque/DD)	